multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
Free fatty acid content (as oleic acid)			COI/T.20/DOC. 34/Rev. 1 – 2017	%	0,20	≤ 0,80
K Coefficients			COI/T.20/DOC.19/Rev.5/2019	-	-	-
K268				-	0 ,11 1	≤ 0,22
K232				-	1 ,36 2	≤ 2,50
DK				-	-0,004	≤ 0,01
Mineral Oil Hydrocarbons (MOSH/MOAH)*			Internal[α]	mg/kg	-	-
MOSH (C10-C16)		1			<1	-
MOSH (C17-C24)		1			1,2	-
MOSH (C25-C35)		1			5,1	-
MOSH (C36-C50)		1			1,6	-
MOSH (Sum C10-C50)		1			7,9	-
MOAH (C10-C16)		1			<1	-
MOAH (C17-C35)		1			<1	-
MOAH (C36-C50)		1			<1	-
MOAH (Sum C10-C50)		1			1,0	-
Pesticide Residues by GC/MS-MS			MΔ10 Εσωτερική GC / MS-MS	mg/kg	-	-
Acetamiprid	0,003	0,01		mg/kg	n.d.	-
Aclonifen	0,003	0,01		mg/kg	n.d.	-
Acrinathrin	0,003	0,01		mg/kg	n.d.	-
Alachlor	0,003	0,01		mg/kg	n.d.	-
Aldrin	0,003	0,01		mg/kg	n.d.	-
Azaconazole	0,003	0,01		mg/kg	n.d.	-
Azinphos-ethyl	0,003	0,01		mg/kg	n.d.	-
Azinphos-methyl	0,003	0,01		mg/kg	n.d.	-
Azoxystrobin[d]	0,003	0,01		mg/kg	n.d.	-
Benalaxyl	0,003	0,01		mg/kg	n.d.	-
Benfluralin	0,003	0,01		mg/kg	n.d.	-
Benfuracarb[d]	0,003	0,01		mg/kg	n.d.	-
Bifenthrin	0,003	0,01		mg/kg	n.d.	-

[α] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
Biphenyl (diphenyl)	0,006	0,01		mg/kg	n.d.	-
Bitertanol	0,003	0,01		mg/kg	n.d.	-
Boscalid[d]	0,003	0,01		mg/kg	n.d.	-
Bromacil	0,003	0,01		mg/kg	n.d.	-
Bromophos-ethyl	0,003	0,01		mg/kg	n.d.	-
Bromophos-methyl	0,003	0,01		mg/kg	n.d.	-
Bromopropylate	0,003	0,01		mg/kg	n.d.	-
Buprofezin	0,003	0,01		mg/kg	n.d.	-
Butafenacil	0,003	0,01		mg/kg	n.d.	-
Carbaryl	0,003	0,01		mg/kg	n.d.	-
Carbosulfan[d]	0,003	0,01		mg/kg	n.d.	-
Chlordane cis[d]	0,003	0,01		mg/kg	n.d.	-
Chlordane trans[d]	0,003	0,01		mg/kg	n.d.	-
Chl orfe napyr	0,003	0,01		mg/kg	n.d.	-
Chlorfenson (Ovex)	0,003	0,01		mg/kg	n.d.	-
Chlorobenzilate	0,003	0,01		mg/kg	n.d.	-
Chloroneb	0,003	0,01		mg/kg	n.d.	-
Chlorothalonil	0,006	0,01		mg/kg	n.d.	-
Chlorpropham	0,003	0,01		mg/kg	n.d.	-
Chlorpyrifos (ethyl)	0,003	0,01		mg/kg	n.d.	-
Chlorpyrifos-methyl	0,003	0,01		mg/kg	n.d.	-
Chl orth al-dim et hyl	0,003	0,01		mg/kg	n.d.	-
Chl ozoli nate	0,003	0,01		mg/kg	n.d.	-
Clo ma zone	0,003	0,01		mg/kg	n.d.	-
Cloquintocet-mexyl	0,003	0,01		mg/kg	n.d.	-
Cyanophos	0,003	0,01		mg/kg	n.d.	-
Cyfluthrin (sum of isomers)	0,003	0,01		mg/kg	n.d.	-
Cyhalothrin - lambda	0,003	0,01		mg/kg	n.d.	-
Cypermethrin (sum of isomers)	0,003	0,01		mg/kg	n.d.	-
Cyproconazole	0,003	0,01		mg/kg	n.d.	-
2,4-DDT	0,003	0,01		mg/kg	n.d.	-
4,4-DDD	0,003	0,01		mg/kg	n.d.	-
4,4-DDE	0,003	0,01		mg/kg	n.d.	-

[a] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
4,4-DDT	0,003	0,01		mg/kg	n.d.	-
Del tam et hrin	0,003	0,01		mg/kg	n.d.	-
Diazinon	0,003	0,01		mg/kg	n.d.	-
Dichlobenil	0,003	0,01		mg/kg	n.d.	-
Dic hl ofe nth ion 4,4-	0,003	0,01		mg/kg	n.d.	-
Dichlorobenzophenone Dic	0,003	0,01		mg/kg	n.d.	-
hl orvos	0,003	0,01		mg/kg	n.d.	-
Diclobutrazol	0,003	0,01		mg/kg	n.d.	-
Dic hl o ra n	0,003	0,01		mg/kg	n.d.	-
Dieldrin	0,003	0,01		mg/kg	n.d.	-
Difenoconazole	0,003	0,01		mg/kg	n.d.	-
Diflufenican	0,003	0,01		mg/kg	n.d.	-
Dim et hen am id	0,003	0,01		mg/kg	n.d.	-
Dim et hoa te	0,003	0,01		mg/kg	n.d.	-
Diniconazole	0,003	0,01		mg/kg	n.d.	-
Diphenamid Diphenylamine	0,003	0,01		mg/kg	n.d.	-
Endosulfan sulfate	0,003	0,01		mg/kg	n.d.	-
Endos ul fan -alpha	0,003	0,01		mg/kg	n.d.	-
Endosulfan-beta	0,003	0,01		mg/kg	n.d.	-
Endrin	0,003	0,01		mg/kg	n.d.	-
EPN	0,003	0,01		mg/kg	n.d.	-
Epoxiconazole	0,003	0,01		mg/kg	n.d.	-
EPTC	0,003	0,01		mg/kg	n.d.	-
Eta co n a zol	0,003	0,01		mg/kg	n.d.	-
Ethalfluralin	0,003	0,01		mg/kg	n.d.	-
Ethion	0,003	0,01		mg/kg	n.d.	-
Eth ofu me sa te	0,003	0,01		mg/kg	n.d.	-
Ethoxyquin	0,003	0,01		mg/kg	n.d.	-
Etofenprox	0,003	0,01		mg/kg	n.d.	-
Etridiazole	0,003	0,01		mg/kg	n.d.	-
Famoxadone	0,003	0,01		mg/kg	n.d.	-
Famphur	0,003	0,01		mg/kg	n.d.	-
	0,003	0,01		mg/kg	n.d.	-

[a] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
Fenamidone	0,003	0,01		mg/kg	n.d.	-
Fenarimol	0,003	0,01		mg/kg	n.d.	-
Fenazaquin	0,003	0,01		mg/kg	n.d.	-
Fenchlorphos	0,003	0,01		mg/kg	n.d.	-
Fenchlorphos-oxon	0,003	0,01		mg/kg	n.d.	-
Fenitrothion	0,003	0,01		mg/kg	n.d.	-
Fenoxycarb	0,003	0,01		mg/kg	n.d.	-
Fe npropa thri n	0,003	0,01		mg/kg	n.d.	-
Fenpropimorph	0,003	0,01		mg/kg	n.d.	-
Fenson	0,003	0,01		mg/kg	n.d.	-
Fenthion	0,003	0,01		mg/kg	n.d.	-
Fenthion sulfone	0,003	0,01		mg/kg	n.d.	-
Fenthion sulfoxide	0,003	0,01		mg/kg	n.d.	-
Fenvalerate (sum of isomers)	0,003	0,01		mg/kg	n.d.	-
Flonicamid	0,003	0,01		mg/kg	n.d.	-
Fluazifop-P-butyl[d]	0,003	0,01		mg/kg	n.d.	-
Fluchloralin	0,003	0,01		mg/kg	n.d.	-
Flucythrinate (sum of isomers)	0,003	0,01		mg/kg	n.d.	-
Fludioxonil[d]	0,003	0,01		mg/kg	n.d.	-
Flumioxazine	0,003	0,01		mg/kg	n.d.	-
Flupyradifurone[d]	0,003	0,01		mg/kg	n.d.	-
Fl uquin co nazol e	0,003	0,01		mg/kg	n.d.	-
Flutriafol	0,003	0,01		mg/kg	n.d.	-
Fluvalinate (sum of isomers)	0,003	0,01		mg/kg	n.d.	-
Fonofos (dyfonate)	0,003	0,01		mg/kg	n.d.	-
Fo rmo thi on	0,003	0,01		mg/kg	n.d.	-
HCH-alpha	0,003	0,01		mg/kg	n.d.	-
HCH-beta	0,003	0,01		mg/kg	n.d.	-
HCH-delta	0,003	0,01		mg/kg	n.d.	-
HCH-gamma (Lindane)	0,003	0,01		mg/kg	n.d.	-
Hep tac hl or	0,003	0,01		mg/kg	n.d.	-
Heptachl. epoxide endo	0,003	0,01		mg/kg	n.d.	-
Heptachl. epoxide exo	0,003	0,01		mg/kg	n.d.	-

[a] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
Hexachlorobenzene	0,003	0,01		mg/kg	n.d.	-
Imazalil	0,006	0,01		mg/kg	n.d.	-
Ibrobenphos	0,003	0,01		mg/kg	n.d.	-
Iprodione	0,003	0,01		mg/kg	n.d.	-
Is oc arb ofo s	0,003	0,01		mg/kg	n.d.	-
Is od ri n	0,003	0,01		mg/kg	n.d.	-
Isofenphos	0,003	0,01		mg/kg	n.d.	-
Isofenphos-methyl	0,003	0,01		mg/kg	n.d.	-
Kresoxim-methyl[d]	0,003	0,01		mg/kg	n.d.	-
Iodofenphos	0,003	0,01		mg/kg	n.d.	-
Leptophos	0,003	0,01		mg/kg	n.d.	-
Malaoxon	0,003	0,01		mg/kg	n.d.	-
Malathion	0,003	0,01		mg/kg	n.d.	-
Mefenpyr-diethyl	0,003	0,01		mg/kg	n.d.	-
Metalaxyl-M[d]	0,003	0,01		mg/kg	n.d.	-
Metazachlor	0,003	0,01		mg/kg	n.d.	-
Methacriphos	0,003	0,01		mg/kg	n.d.	-
Methidathion	0,003	0,01		mg/kg	n.d.	-
Methomyl	0,003	0,01		mg/kg	n.d.	-
Methoprotryne	0,003	0,01		mg/kg	n.d.	-
Methoxychlor	0,003	0,01		mg/kg	n.d.	-
Metolachlor	0,003	0,01		mg/kg	n.d.	-
Metribuzin	0,003	0,01		mg/kg	n.d.	-
Mevinphos	0,003	0,01		mg/kg	n.d.	-
Myclobutanil	0,003	0,01		mg/kg	n.d.	-
Nit ra li n	0,003	0,01		mg/kg	n.d.	-
Nitrapyrin	0,003	0,01		mg/kg	n.d.	-
Nitrofen	0,003	0,01		mg/kg	n.d.	-
Nitrothal-isopropyl	0,003	0,01		mg/kg	n.d.	-
Norf l ura zo n	0,003	0,01		mg/kg	n.d.	-
o-Phenylphenol	0,003	0,01		mg/kg	n.d.	-
Oxadiazon	0,003	0,01		mg/kg	n.d.	-
Oxyfluorfen	0,003	0,01		mg/kg	n.d.	-

[o] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
Paraoxon-m et hyl	0,006	0,01		mg/kg	n.d.	-
Parathion	0,003	0,01		mg/kg	n.d.	-
Parathion-methyl	0,003	0,01		mg/kg	n.d.	-
Pebul ate	0,003	0,01		mg/kg	n.d.	-
Pencycuron	0,003	0,01		mg/kg	n.d.	-
Pendi me tha lin	0,003	0,01		mg/kg	n.d.	-
Pentachloroaniline	0,003	0,01		mg/kg	n.d.	-
Pentachloranisole	0,003	0,01		mg/kg	n.d.	-
Permethrin (sum of isomers)	0,003	0,01		mg/kg	n.d.	-
Perthane	0,003	0,01		mg/kg	n.d.	-
Phenthoate	0,003	0,01		mg/kg	n.d.	-
Phorate	0,003	0,01		mg/kg	n.d.	-
Phosalone	0,003	0,01		mg/kg	n.d.	-
Phosmet	0,003	0,01		mg/kg	n.d.	-
Piperonyl butoxide	0,003	0,01		mg/kg	n.d.	-
Pirimicarb	0,003	0,01		mg/kg	n.d.	-
Pirimiphos-methyl	0,003	0,01		mg/kg	n.d.	-
Procymidone	0,003	0,01		mg/kg	n.d.	-
Profluralin	0,003	0,01		mg/kg	n.d.	-
Propanil	0,003	0,01		mg/kg	n.d.	-
Proparg ite	0,003	0,01		mg/kg	n.d.	-
Propazine	0,003	0,01		mg/kg	n.d.	-
Propetamphos	0,003	0,01		mg/kg	n.d.	-
Propham	0,003	0,01		mg/kg	n.d.	-
Propiconazole	0,003	0,01		mg/kg	n.d.	-
Propyzamide	0,003	0,01		mg/kg	n.d.	-
Prosulfocarb	0,003	0,01		mg/kg	n.d.	-
Prothiofos	0,003	0,01		mg/kg	n.d.	-
Pyraclostrobin	0,003	0,01		mg/kg	n.d.	-
Pyraflufen-ethyl[d]	0,003	0,01		mg/kg	n.d.	-
Pyridaphenthion	0,003	0,01		mg/kg	n.d.	-
Pyrifenox	0,003	0,01		mg/kg	n.d.	-
Pyriproxyfen	0,003	0,01		mg/kg	n.d.	-

[a] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Cr et e
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no:H-19517

Date of issue:27/10/2026

CUSTOMER:ANDROULAKIS EFTYCHIOS
PHONE :6974069589
MULTICHROM.LAB CODE No :H-19517
Date of analysis (from):27/10/2026
COMMODITY ACCORDING TO CUSTOMER:EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE:27/10/2026
SAMPLE CONDITION:NORMAL
SEALS: None
SAMPLING BY:CUSTOMER
DATA:PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
Quinoxyfen	0,003	0,01		mg/kg	n.d.	-
Quintozene	0,003	0,01		mg/kg	n.d.	-
S 421	0,003	0,01		mg/kg	n.d.	-
Spiromesifen	0,003	0,01		mg/kg	n.d.	-
Tebuc on azole	0,003	0,01		mg/kg	n.d.	-
Tecnazene	0,003	0,01		mg/kg	n.d.	-
Tefluthrin	0,003	0,01		mg/kg	n.d.	-
Terbacil	0,003	0,01		mg/kg	n.d.	-
Terbuthylazine	0,003	0,01		mg/kg	n.d.	-
Tetradifon	0,003	0,01		mg/kg	n.d.	-
Tetramethrin	0,003	0,01		mg/kg	n.d.	-
Tetrasul	0,006	0,01		mg/kg	n.d.	-
Thiabendazole	0,003	0,01		mg/kg	n.d.	-
Thiac lo prid[d]	0,003	0,01		mg/kg	n.d.	-
Tolclofos-methyl	0,003	0,01		mg/kg	n.d.	-
Transfluthrin	0,003	0,01		mg/kg	n.d.	-
Tri a di me fon	0,003	0,01		mg/kg	n.d.	-
Tri-allate	0,003	0,01		mg/kg	n.d.	-
Triazophos[d]	0,003	0,01		mg/kg	n.d.	-
Trichloronate	0,003	0,01		mg/kg	n.d.	-
Trifloxystrobin	0,003	0,01		mg/kg	n.d.	-
Trifluralin	0,003	0,01		mg/kg	n.d.	-
Vinclozolin	0,003	0,01		mg/kg	n.d.	-
Pesticide Residues by LC/MS-MS			Εσωτερική LC / MS-MS (Limit of Quantitation LoQ: 0,01mg/kg /per isomer[α]	mg/kg	Υπόλοιπα n.d.*	-
Cyantraniliprole		0,01		mg/kg	n.d.	-
Phthalates & Adipates Esters			ΜΔ-11 Εσωτερική (GC/MS)[m]	mg / kg		-
DEA (Diethyl adipate)	0,2	0,5			n.d.	-
DMP (Dimethyl phthalate)	0,2	0,5			n.d.	-
DIBA (Diisobutyl adipate)	0,2	0,5			n.d.	-

[α] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449

multichrom.LAB Crete
Expertise in Olive Oil Testing since 1993
Registration number: 1824310270

International Olive Council
Recognized laboratory
physico-chemical testing - Type B
01/12/2025 – 30/11/2026

George Vasilakis str. 143 and Diomede, 71410 Herakleion, Crete Greece, tel. +30 2810260736 e-mail: labcrete@multichromlab.com

CERTIFICATE OF ANALYSIS no: H-19517

Date of issue: 27/10/2026

CUSTOMER: ANDROULAKIS EFTYCHIOS
PHONE : 6974069589
MULTICHROM.LAB CODE No : H-19517
Date of analysis (from): 27/10/2026
COMMODITY ACCORDING TO CUSTOMER: EXTRA VIRGIN OLIVE OIL
(to): 27/10/2026
RECEIVING DATE: 27/10/2026
SAMPLE CONDITION: NORMAL
SEALS: None
SAMPLING BY: CUSTOMER
DATA: PAMACO MONOVARIETAL

RESULTS

Determination	LoD	LoQ	M eth od	Unit	Result	Limit[1]
DEP (Phthalic acid, bis-ethyl ester)	0,2	0,5			n.d.	-
DBA (Adipic acid, bis-n-butyl ester)	0,2	0,5			n.d.	-
DIBP (Phthalic acid, bis-isobutyl ester)	0,2	0,5			n.d.	-
DBP (Dibutyl phthalate)	0,2	0,5			n.d.	-
DEHA (Bis(2-ethylhexyl) adipate)	0,2	0,5			<LoQ	-
BBP (Pthalic acid, benzylbutul ester)	0,2	0,5			n.d.	-
DEHP (Bis(2-ethylhexyl) phthalate)	0,2	0,5			n.d.	-
DINCH (1,2-Cyclohexane dicarboxylic acid diisononyl ester)	0,4	1,25			n.d.	-
DEHT (Bis(2-ethylhexyl) terephthalate)	0,2	0,5			n.d.	-
DNOP (Phthalic acid, bis-n-octyl ester)	0,2	0,5			n.d.	-
DINP (Phthalic acid, bis-7-methyloctyl ester)[d]	0,2	0,5			n.d.	-

***LIST OF PESTICIDE RESIDUES CHECKED BY LC/MS-MS IS ATTACHED IN A SEPARATE FILE.**

Dimitrios Salivaras
Laboratory Director

Emmanuel Fafoutakis
Laboratory Supervisor

[a] Method outside the scope of accreditation.[d] Compound outside the scope of accreditation. [m] From Multichrom Lab Peristeri with accreditation.

The above results concern only the sample we examined.
Partial reproduction is prohibited without the written permission of Multichrom lab Crete
n.d. - not detected. LoQ - limit of quantitation of the method - equal to Reporting limit - (the concentration of a substance at which quantitative results can be reported with a high degree of confidence for the given analytical procedure). LoD - limit of detection of the method (the lowest concentration of a substance that can be distinguished from the absence of that substance for the given analytical procedure).
Decision rule for conformity of a result with limits: see www.multichromlab.com.
[1]Limits according to: Reg.EU 2104/2022 as in force today,

ESYD
certification no.1449